### **DOUBLE DOORS**









Motor Operated Between Jamb Mounted


Page#: Page 1






## Overall Frame Width COIL SIDE ELEVATION

#### **VERTICAL SECTION A - A**





#### **GUIDE SECTION B - B**

#### Notes:

- 1. See page 2 and 3 for more options.
- 2. All metric conversions of dimensions are shown in brackets [].

SALES REP:
CUSTOMER:
JOB NAME:
NUMBER:

Manufactured by:

OVERHEAD DOORS, INC.

8 Hulse Road, East Setauket, NY
TEL: (718)384-6100 FAX: (718)486-6324

© COPYRIGHT JANUARY 2001


### **DOUBLE DOORS**

# Super Imposed Combination Rolling Door and Rolling grille


Motor Operated Between Jamb Mounted

Page#:


Page 2



#### BOTTOM BAR DETAILS (ACCORDING TO WHICH TWO DOORS ARE SELECTED)



#### BOTTOM BAR DETAILS (ACCORDING TO WHICH TWO DOORS ARE SELECTED)



#### **OBSTACLE EDGES AVAILABLE**

#### **GRILLE OPTIONS**

#### Distributed By:

Call your Alpine representative for additional options and safety products to help find the best. Alpine door to suit your needs.




### **DOUBLE DOORS**


**Motor Operated** Between Jamb Mounted


Combination Rolling Door and Rolling grille


Page#:

Page 3











[25.4]


IMB V7 (also aviail V5 & V8)




7/8" thick IMB slat sections w/ insulation


#### **SLAT OPTIONS**









2 3/4" [69.85] IPB 23/4" flat slat sections w/ insulated pvc extrusions



IPB-HP 2 3/4" flat slat sections w/ insulated pvc extrusions

#### **SLAT OPTIONS**





#### HOOD SHAPES AVAILABLE FOR THIS DOOR

#### **GUIDE OPTIONS**

