




**BRICK PATTERN GRILLE TYPE**



**STRAIGHT GRILLE TYPE**



We also have the ability to accurately match the customer's color requirements when provided with the appropriate material samples.

## INSTALLATION

### GENERAL

Opening preparation, miscellaneous or structural metal work, access doors, finish or field painting, field electrical wiring, wire, conduit, fuses and disconnect switches are in the Scope of Work of other divisions or trades.

Slide Locks Optional



## APPLICATION AND USE

ISO 9001 Registered Company

Rolling Counter-Grille doors as manufactured by Alpine provides security, visibility and airflow on all storefront openings. These Grilles are great for Office windows, Service counters, Airport Concession Displays.

## THE ALPINE ADVANTAGE AND BENEFIT

The unique design of the Alpine Counter-Grille is lightweight and compact which allows for interior mounting to existing construction. Alpine's quality and workmanship are proven throughout the door industry. Our hands-on approach to every job ensures customer satisfaction.

## FUNCTIONAL BENEFITS

The Alpine Counter-Grille Door provides window protection during after hour periods and allows for customers or consumers to be able to visually observe what products are on display when the store is closed. The Counter Grille Door also allows for cross ventilation and the passage of airflow from one room to another while at the same time protecting products on display.

## OTHER RELATED PRODUCTS





### DOOR CONSTRUCTION

#### CURTAIN

Curtain construction will consist of either Alpine's Brick Pattern 6", or Straight Lattice Pattern 9", with all exposed material to be aluminum. The continuous horizontal rods, spaced 2" o.c., are covered with tubular spacers that are PVC, aluminum or stainless steel. Continuous end links are designed to prevent the curtain from leaving the side of the guide rails. The bottom of the grille is provided with an extruded aluminum "T" bottom bar.

#### GUIDES

"F" Aluminum Guides.

#### COUNTERBALANCE ASSEMBLY

The steel pipe barrel is a size capable of carrying a curtain load with a max. deflection of 0.03" per foot opening width. The helical torsion spring is encased in a barrel designed to require minimum effort to operate the rolling curtain and bottom bar.

#### OPERATION

Available in push-up, or motor operation. For optional features see the motor operators section in this catalog. Consult with the Alpine Customer Service representative for available fire protection release devices. *Please See Alpine's Motor Operator Page ([www.alpinedoors.com/motor-operators.htm](http://www.alpinedoors.com/motor-operators.htm))*

**ACCESS CONTROLS:** Optional control stations are available as Push Button Control Station or Key Control Stations. Special Control Stations are also available, please consult factory. *Please See Alpine's Access Controls Page ([www.alpinedoors.com/accesscontrols.htm](http://www.alpinedoors.com/accesscontrols.htm))*

#### LOCKING

Optional slide locks or cylinder locks. Electric Interlocks recommended with motorized doors.

#### FINISHES (OPTIONAL)

Phosphate treated and finished with a baked enamel paint. Alpine Doors offer's 186 durable powder coating colors, Stainless Steel #4 finish and or Aluminum . All other exposed ferrous surfaces are prime painted.

**Exo-Shield™:** The Powder Coat Finish is available for all of Alpine's Products and are available in over 188 standard colors with the option for custom colors and environmental requirements. *Please See Alpine's Color Selection Page ([www.alpinedoors.com/colors\\_standard.htm](http://www.alpinedoors.com/colors_standard.htm))*