

# SOUND RETARDANT DOOR



# Insulated Slat




Patent # 5419386 ®  
**Insul-Sound**  
 SOUND RETARDANT DOOR

Hand Chain Operated  
 Between Jamb Mounted


- LG - Left Guide
- RG - Right Guide
- B - Bracket
- GW - Guide Width
- GD - Guide Depth




### STEEL MOUNTED



### PACKOUT MOUNTED



### TUBE MOUNTED



## GUIDE SECTION B - B

SALES REP: \_\_\_\_\_

CUSTOMER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

Manufactured by:



8 Hulse Road, East Setauket, NY  
 TEL: (718)384-6100 FAX: (718)486-6324  
 © COPYRIGHT JANUARY 2001


# SOUND RETARDANT DOOR

Insulated Slat


Patent # 5419386 ®  
**Insul-Sound**  
 SOUND RETARDANT DOOR

Page#:

Page 2




**BOTTOM BAR DETAIL**




Heavy duty Rubber  
 Wind Baffle mounted to  
 underside of hood



**WIND BAFFLE DETAIL**



**HOOD SHAPES AVAILABLE FOR THIS DOOR**



**GUIDE OPTIONS**



**CURTAIN DETAIL**

**OBSTACLE EDGES AVAILABLE**

Distributed By:

Call your Alpine representative for additional options and safety products to help find the best Alpine door to suit your needs.

Manufactured by:

**Alpine**®  
 OVERHEAD DOORS, INC.  
 8 HULSE ROAD EAST SETAUKET, N.Y. 11733  
 TEL: (631)473-9300 FAX: (631)642-0800  
 © COPYRIGHT MAY 2007


NOTE: MAXIMUM PIPE DEFLECTION ON ANY SIZE DOOR IS .034



Page#:

Page 3

## Finding the minimum required operation for the size door you need.




**Operator Legend**

- Manual Push Up Operation
- Hand Chain Operation
- Hand Chain w/ Gear reduced 48
- Hand Chain w/ Gear reduced 60
- Motor Operation Only

To use Chart: Find where your door width and height meet to find the minimum operation that may be used for that door size.

For example: The blue line indicates a Hand Chain Operation. Any size door on that line or above that line may use a Hand Chain, including the door sizes that fall into the Manual push up door. But, The Manual push up door may not be used for any door size below the line representing Push up operation. For any door size larger than what is represented here please consult your Alpine Overhead Doors, Inc. Factory. This Graph is for reference only, subject to change without notice.

## Finding the minimum required bracket size for the door you need.



NOTE: Bracket sizes may vary based on gauge of curtain. Bracket size is directly related to the pipe low moment arm deflection (not more than .03 inches per foot).

To use Chart: Find where your door width and height meet to find the minimum bracket size for your door. For any door size larger than what is represented here please consult your Alpine Overhead Doors, Inc. Factory. This Graph is for reference only, subject to change without notice.

Distributed By:

Manufactured by:

**Alpine**<sup>®</sup>  
OVERHEAD DOORS, INC.  
8 HULSE ROAD EAST SETAUKET, N.Y. 11733  
TEL: (631)473-9300 FAX: (631)642-0800  
© COPYRIGHT DEC 2006